

Short CV –D.E. Mouzakis

Dionysis E. Mouzakis PhD, obtained his mechanical engineering degree in 1995 (University of Patras, Greece) and his Doctoral Diploma in 1999 (Dr.-Ing., University of Kaiserslautern, Germany). He is the author of 40 peer reviewed Journal Articles with more than 350 international citations (H-index=12) and has participated with presentations in more than 60 International and National Conferences with respect to materials science and engineering topics. He has invested considerable effort in studying the structure-property relationships in polymers, polymer blends, composite materials, and biomaterials. He is also active in the area of nanocomposites property assessment. He has already accumulated extended experience in composing large research projects, supervising work packages and collaborating with wide international scientific teams. The research projects he has participated are of national character (German and Greek-State funds) and also EU-funded ones. His academic career involves lecturing for 6 years at the Department of Materials Science at the University of Patras and scientific work as a research associate of the Institute of Technology and Research FORTH/ICE-HT in Patras-Greece. He has also worked for two years as a research engineer in “Karamouzis SA” organic lenses manufacturing plant in Patras–Greece as a thin metal coating expert. He is currently working as an assistant professor at the Technological Educational Institute of Larisa, Greece at the Dept. of Mech. Engineering.

Publications:

1997

- [1] RESIDUAL TENSILE STRENGTH MODELLING OF POLYMER POLYMER MICROLAYER COMPOSITES AFTER LOW ENERGY IMPACT.

G.C. Papanicolaou , C.D. Stavropoulos , D.E. Mouzakis and J. Karger-Kocsis
Plastics, Rubber and Composites Processing and Applications, Sept. 1997, 26 No. 9, 1
MODELLING –COMPOSITES

IF: 0.439

- [2] PERFORATION IMPACT RESPONSE OF A HDPE AND HDPE WITH DISCONTINUOUS SELAR MICROLAYERS.

J. Karger-Kocsis , E. Moos and D.E. Mouzakis
Plastics, Rubber and Composites Processing and Applications 1997, Vol. 26. No.4 , 1
EXPERIMENTAL-IMPACT FRACTURE –COMPOSITES

IF: 0.439

1998

- [3] EFFECTS OF GASOLINE ABSORPTION ON THE TENSILE IMPACT RESPONSE OF HDPE/SELAR® LAMINAR MICROLAYER COMPOSITES.

D.E. Mouzakis and J. Karger-Kocsis,
Journal of Applied Polymer Science, Vol. 68, 561-569 (1998)
EXPERIMENTAL-IMPACT FRACTURE -COMPOSITES

IF:1.072

- [4] FRACTURE BEHAVIOUR OF POLYPROPYLENE/GLASS BEAD/ ELASTOMER COMPOSITES BY USING THE ESSENTIAL WORK OF FRACTURE METHOD

D.E. Mouzakis F. Striker, R.Mühlhaupt, and J. Karger-Kocsis
Journal of Materials Science, 33 (1998) 2551-2562

EXPERIMENTAL-FRACTURE –HYBRID COMPOSITES

IF:0.901

- [5] TOUGHNESS ASSESSMENT OF ELASTOMERIC POLYPROPYLENE (ELPP) BY THE ESSENTIAL WORK OF FRACTURE METHOD

D.E. Mouzakis, M. Gahleitner and J. Karger-Kocsis
Journal of Applied Polymer Science, Vol. 70, (1998) 873-881
EXPERIMENTAL-FRACTURE –POLYMERS

IF:1.072

- [6] EFFECTS OF INJECTION MOLDING-INDUCED MORPHOLOGY ON THE WORK OF FRACTURE PARAMETERS IN RUBBER-TOUGHENED POLYPROPYLENES
J. Karger-Kocsis and D.E. Mouzakis
Polymer Engineering and Science, 39 (1999) 1365/1374
EXPERIMENTAL-FRACTURE –COMPOSITES
IF:1.076
- 1999
- [7] FRACTURE BEHAVIOR OF KAOLIN-REINFORCED HIGH DENSITY POLYETHYLENE
R. Wetherhold and D.E. Mouzakis
Journal of Engineering Materials Technology, Transactions of the ASME 121, (1999) 483/487
Also Published at:
American Society of Mechanical Engineers, Materials Division (Publication) MD 84, pp. 349-355
EXPERIMENTAL-FRACTURE –COMPOSITES IF:0.816
- [8] INSTRUMENTED TENSILE AND FALLING WEIGHT IMPACT RESPONSE OF INJECTION MOLDED α - AND β -PHASE POLYPROPYLENE HOMOPOLYMERS WITH VARIOUS MELT FLOW INDICES
J. Karger-Kocsis, D.E. Mouzakis, G.W. Ehrenstein and J. Varga
Journal of Applied Polymer Science, Vol. 73, (1999) 1205-1214
EXPERIMENTAL-IMPACT –POLYMERS IF:1.072
- [9] RELATIONSHIP BETWEEN MORPHOLOGY AND MECHANICAL PROPERTIES OF POLYPROPYLENE/ETHENE-CO-BUTENE BINARY BLENDS
D.E. Mouzakis, D. Mäder, R. Mülhaupt and J. Karger-Kocsis
Journal of Material Science 35, (2000) 1-12
EXPERIMENTAL-FRACTURE –POLYMER BLENDS
IF:0.901
- [10] ESSENTIAL WORK OF FRACTURE: APPLICATION FOR POLYMERS SHOWING DUCTILE TO BRITTLE TRANSITIONS DURING FRACTURE
D.E. Mouzakis, and J. Karger-Kocsis;
Polymer Bulletin 42, 473-480 (1999) IF:0.904
EXPERIMENTAL-FRACTURE –COMPOSITES
- [11] ESSENTIAL WORK OF FRACTURE: SIMULATING THE TOUGHNESS RESPONSE OF THE DEEPLY DOUBLE-EDGE NOTCHED SPECIMENS
D.E. Mouzakis and J. Karger-Kocsis
Polymer Bulletin, 43 (1999) 449-456
MODELLING–FRACTURE BEHAVIOUR -POLYMER BLENDS
IF:0.904
- [12] EFFECTS OF TESTING SPEED AND HEAT TREATMENT ON THE FRACTURE OF KAOLIN- REINFORCED HIGH DENSITY POLYETHYLENE
R. Wetherhold, D. Mouzakis and K. Friedrich
Journal of Materials Science Letters 19 (2000), 179-182
EXPERIMENTAL-FRACTURE –COMPOSITES
IF:0.711
- 2000
- [13] FRACTURE BEHAVIOUR OF DISCONTINUOUS LONG GLASS FIBER REINFORCED INJECTION MOLDED POLYPROPYLENE
D.E. Mouzakis T. Harmia and J. Karger-Kocsis
Polymer & Polymer Composites, Vol. 8, No. 3, (2000), 167-175
EXPERIMENTAL-FRACTURE –COMPOSITES
IF:0.47
- [14] INTERRELATION BETWEEN ENERGY PARTITIONED WORK OF FRACTURE PARAMETERS AND THE CRACK TIP OPENING DISPLACEMENT ON THE EXAMPLE OF AMORPHOUS POLYESTER FILMS
D.E. Mouzakis J. Karger-Kocsis and E.J. Moskala
Journal of Materials Science Letters 19 (2000) 1615-1619

EXPERIMENTAL-FRACTURE –COMPOSITES

IF:0.711

2001

- [15] FRACTURE TOUGHNESS ASSESSMENT OF POLY(ETHYLENE TEREPHTHALATE) BLENDS WITH A GLYCIDYL METHACRYLATE MODIFIED POLYOLEFIN ELASTOMER BY USING THE ESSENTIAL WORK OF FRACTURE METHOD

D.E. Mouzakis, N. Papke, J.S. Wu, and J. Karger-Kocsis

Journal of Applied Polymer Science, Vol. 79, 842-852, (2001)

EXPERIMENTAL-FRACTURE –POLYMER BLENDS

IF:1.072

2005-REVIEWED ABSTRACT

- DYNAMIC MECHANICAL ANALYSIS OF DIFFERENT TYPES OF ENCRUSTED POLYMERIC URINARY STENTS BY MATERIAL DEGRADATION ASSESSMENT

E. Liatsikos, D. Mouzakis, N. Bouropoulos, G. Bithelis and G. Barbalias

European Urology Supplements, Volume 4, Issue 3, March 2005, Page 28

EXPERIMENTAL-DMA –BIOMATERIALS

IF:3.174

2006

- [16] ULTRAVIOLET RADIATION INDUCED COLD CHEMI CRYSTALLIZATION IN SYNDIOTACTIC POLYPROPYLENE CLAY-NANOCOMPOSITES

Dionysios E. Mouzakis, G. Kandilioti and Vasilis G. Gregoriou

Journal of Macromolecular Science Part A: Pure and Applied Chemistry, A43 (2): 259-267 2006

EXPERIMENTAL-DMA/DSC –NANOCOMPOSITES

IF:0.749

- [17] VICKERS HARDNESS STUDIES OF CALCIUM OXALATE MONOHYDRATE AND BRUSHITE URINARY STONES

N. Bouropoulos, D.E. Mouzakis and G. Bithelis,

Journal of Endourology, 20 (1): 59-63 JAN 2006

EXPERIMENTAL –BIOMATERIALS-HARDNESS

IF:1.5

- [18] AGING ASSESSMENT BY DYNAMIC MECHANICAL ANALYSIS OF IN VIVO ENCRUSTED POLYMERIC URINARY STENTS

D.E. Mouzakis, N. Bouropoulos, G. Bithelis, E. Liatsikos and G. Barbalias.

Journal of Endourology, 20 (1): 64-68 JAN 2006

EXPERIMENTAL-DMA –BIOMATERIALS

IF:1.5

- [19] A 2826 MB METGLAS RIBBON AS A STRAIN SENSOR FOR REMOTE AND DYNAMIC MECHANICAL MEASUREMENTS

D. Kouzoudis and D.E. Mouzakis

Sensors and Actuators Part A: Physical., 127 (2), pp. 355-359, 2006

EXPERIMENTAL-NDT-MAGNETOELASTICITY

IF:1.363

- [20] STATIC AND DYNAMIC BEHAVIOR OF SINGLE-EDGE NOTCHED GLASS FABRIC COMPOSITES

G.C.Papanicolaou, D.E. Mouzakis, G.Economopoulos, Th.V.Kosmidou,

Polymer Composites 2006, Volume 27, Issue 2 , Pages 177 – 183

MODELLING –COMPOSITES

IF:0.628

- [21] EFFECT OF CARBOXY-FUNCTIONALIZED MULTIWALL NANOTUBES (MWNT-COOH) ON THE CRYSTALLIZATION AND CHAIN CONFORMATIONS OF POLY(ETHYLENE TEREPHTHALATE) PET IN PET-MWNT NANOCOMPOSITES

Spiros Tzavalas, Vasilis Drakonakis, Dionysis E. Mouzakis, Dieter Fischer, Vasilis G. Gregoriou

MACROMOLECULES, Vol 39, Issue 26, 2006, 9150-9156

EXPERIMENTAL-DSC –NANOCOMPOSITES

IF:4.024

- [22] INVITED PAPER 2006

EFFECTS OF ORIENTATION AND TEST SPEED ON THE ESSENTIAL WORK OF FRACTURE
TOUGHNESS OF POLY(ETHER-KETONE-KETONE) FILMS

D.E. Mouzakis, C. Constantinidou

In: MECANICA RUPERII Buletinul Asociației Române de Mecanica Ruperii ARMR
(ROMANIAN ASSOCIATION FOR FRACTURE JOURNAL)

Nr 20 - December 2006, pp 1-13, ISSN 1453-8148

EXPERIMENTAL-FRACTURE –ADVANCED POLYMERS

IF:N.A

2007

[23] VISCOELASTIC BEHAVIOR OF POLYMER CONCRETE

G.C. PAPANICOLAOU, D.E. Mouzakis, A.G. XEPAPADAKI

AES Technical Reviews International Journal, Part B: IJAMAIM, 1 (1), 2007, 55 – 67.

MODELLING –COMPOSITES

IF:N.A

[24] GAMMA NAIL BREAKAGE: A REPORT OF 4 CASES

I. Panagiotopoulos, G. Kassimatis, D. Giannikas and D.E. Mouzakis

Journal of Orthopaedic Surgery 2007;15(3):368-72

EXPERIMENTAL –BIOMATERIALS FRACTURE

IF:N.A

[25] EARLY FAILURE OF A ZIRCONIA FEMORAL HEAD PROSTHESIS: FRACTURE OR
FATIGUE?

Elias C. Panagiotopoulos, Alkiviadis G. Kallivokas, Ioannis Koulioumpas, D.E. Mouzakis

Clinical Biomechanics, Volume 22, Issue 7, 2007, 856-860

EXPERIMENTAL –BIOMATERIALS FRACTURE

IF:1.505

[26] MANUFACTURING AND TESTING of POLYMER CONCRETE REINFORCED WITH
UD-CFRP

G.C. Papanicolaou, D.E. Mouzakis, A.G. Xepapadaki, D. Fakos, E. Koundouraki

Revista De Chimie, Vol 58, Chem. Abs. RCBUAU 58(9), 2007

EXPERIMENTAL – COMPOSITES

IF:0.278

2007 REVIEWED ABSTRACTS

VISCOELASTIC PROPERTY MAPPING ALONG ENCRUSTED POLYMERIC
URINARY CATHETERS

Liatsikos, E. Bouropoulos, N. Kallidonis, P. Karnabatidis, D. Katsanos, K. Christeas, N. Siambliis, D.
Mouzakis, D.

JOURNAL OF ENDOUROLOGY, 2007, VOL 21; SUPP/1, pages MP35-23

IF:1.5

2008

[27] POLYETHYLENE TEREPHTHALATE (PET) - MULTIWALL NANOTUBES (MWNT)
NANOCOMPOSITES; EFFECT OF NANOTUBES ON THE CONFORMATIONS,
CRYSTALLINITY AND CRYSTALLIZATION BEHAVIOUR OF PET.

S. Tzavalas, D.E. Mouzakis, V. Drakonakis, V.G. Gregoriou,

Journal of Polymer Science: B, Volume 46, Issue 7, April 2008, 668-676

EXPERIMENTAL-DSC –NANOCOMPOSITES

IF:1.739

[28] INTERPHASE MODELING OF COPPER-EPOXY PARTICULATE COMPOSITES
SUBJECTED TO STATIC AND DYNAMIC LOADING

G.C. Papanicolaou, A.G. Xepapadaki, A. Kotrotsos, D.E. Mouzakis

MODELLING –COMPOSITES

Journal of Applied Polymer Science, Vol. 109, 1150–1160 (2008)

IF:1.072

[29] ACCELERATED ENVIRONMENTAL AGEING STUDY OF POLYESTER/GLASS FIBRE
REINFORCED COMPOSITES (GFRPCs)

Dionysis E. Mouzakis, Helen Zoga, and Costas Galiotis

Composites Part B:, Volume 39, Issue 3, April 2008, Pages 467-475

EXPERIMENTAL –AGEING-COMPOSITES

IF:1.121

- [30] VISCOELASTIC PROPERTY MAPPING ALONG ENCRUSTED POLYMERIC URINARY CATHETERS

D.E. Mouzakis, N. Bouropoulos, D. P. Kallidonis, Karnabatidis, K. Katsanos, C. Constantinidis, P. Perimenis, D. Siambelis, E. Liatsikos

Journal of Endourology , Volume 22, Number 8, August 2008, Pp. 1761–1769

EXPERIMENTAL-DMA –BIOMATERIALS

IF:1.5

- [31] STATISTICAL DAMAGE DIAGNOSIS IN SMART SYSTEMS USING NON-CONTACT MAGNETOELASTIC METGLAS SENSORS AND STOCHASTIC MODELING OF SYSTEM OUTPUT DATA”

D.G. Dimogianopoulos, D.E. Mouzakis, D. Kouzoudis

Presented at the 4th International Conference on NDT organized by Hellenic Society for NDT on October 2007 in Crete-Greece and selected for publication in the Special issue of Int. Journal of Materials and Product Technology - IJMPT – IN PRESS

IF:0.291

- [32] POLYMER NANOCOMPOSITES TOUGHNESS STUDY AND RESIDUAL PROPERTY MODELLING

D.E. Mouzakis, G.C. Papanicolaou, Chr. Argyrakis, G. Kandilioti, D. Kontarinis and V.G. Gregoriou

Journal of Nanostructured Polymers and Nanocomposites, Vol 4, Issue3, 2008, pp100-109 IF:N.A

- [33] Μηχανικές Ιδιότητες των Ταινιών Ελευθέρως Τάσεως: Πειραματική Μελέτη

N. Φεράκης, Δ. Μουζάκης, N. Μπουρόπουλος, N. Χαραλαμποιάννης, K. Μπουρόπουλος, A. Φαρμάκης, H. Πούλιας

ΕΛΛΗΝΙΚΗ ΟΥΡΟΛΟΓΙΑ 2008, 20: 297-302

2008-REVIEWED ABSTRACT

European Urology Supplements , Volume 7 , Issue 3 , Page 316 , 2008

- VISCOELASTIC RELAXATION ASSESSMENT OF A POLYPROPYLENE SLING USED IN THE TREATMENT OF FEMALE STRESS URINARY INCONTINENCE

Poulias I., Ferakis N., Bouropoulos C., Nikolaou N., Mouzakis D., Bouropoulos N., Farmakis A.

EUROPEAN UROLOGY SUPPLEMENTS 2008;7(3):316

IF:3.174

INVITED PAPER 2009

- [34] CONTACT-FREE MAGNETOELASTIC THIN-FILM SMART SENSORS WITH STOCHASTIC NOISE FILTERING FOR ORTHOPEDIC APPLICATIONS

D. E. MOUZAKIS, D. DIMOGIANOPOULOS, D. GIANNIKAS

MEMS special section in the IEEE Transactions on Industrial Electronics, volume 56, issue 4, 2009, pages 1092-1100

IF:2.126

2010

- [35] PREPARATION AND CHARACTERIZATION OF BIOCERAMICS PRODUCED FROM CALCIUM PHOSPHATE CEMENTS

O. Andriotis, O.L. Katsamenis, D.E. Mouzakis, and N. Bouropoulos

CRYSTAL RESEARCH TECHNOLOGY 45, NO. 3, 239 – 243 (2010) / DOI10.1002/CRAT.200900551

IF: 0.921

- [36] STUDY OF THE STRESS OSCILLATION PHENOMENON IN SYNDIOTACTIC POLYPROPYLENE/ MONTMORILLONITE NANOCOMPOSITES

D.E. Mouzakis

EXPRESS POLYMER LETTERS VOL.4, NO.4 (2010) 244–251

IF: 1.45

INVITED PAPER 2010

- [37] APPLICATION OF THIN-FILM CONTACT-FREE MAGNETO-ELASTIC SENSORS AND STOCHASTIC NONLINEAR MODELING TO SYSTEM DAMAGE DIAGNOSIS

Dimitrios G. Dimogianopoulos, Dionysios E. Mouzakis

Science of Advanced Materials, Vol. 2,1–9, 2010 IF: N.A.

INVITED PAPER 2010

[38] DYNAMIC MECHANICAL PROPERTIES OF CALCIUM ALGINATE-HYDROXYAPATITE NANOCOMPOSITE HYDROGELS

N. Bouropoulos A. Stampolakis, D.E. Mouzakis
Science of Advanced Materials, Vol. 2, 1–4, 2010 IF: N.A.

[39] EXPERIMENTAL AND NUMERICAL DETERMINATION OF THE MECHANICAL RESPONSE OF TEETH WITH REINFORCED POSTS

Triantafillos Papadopoulos, Dimitris Papadogiannis, Dionysios E. Mouzakis, Konstantinos Giannadakis & George Papanicolaou
Journal of Biomedical Materials, accepted May 2010 (in press) IF: 1.8

[40] DYNAMIC PROPERTIES OF A MAXILLOFACIAL SILICONE ELASTOMER INCORPORATED WITH ZNO ADDITIVE: THE EFFECT OF ARTIFICIAL AGING

DE Mouzakis, T D Papadopoulos, G L Polyzois And P G Griniari
ACCEPTED IN PRESS TO JOURNAL OF MAXILLOFACIAL SURGERY, APRIL 2010

[41] NANO-PARTICLE REINFORCED DENTAL CEMENTS

Bairami Vakina, Kourtis Stefanos, Mouzakis E. Dionysios, Bouropoulos Nikolaos, Kalampaliki Theodora, Hellenic Dental Journal (in press) 2010